

# Python Introduction

## Principles of Programming Languages

Colorado School of Mines

<https://lambda.mines.edu>

# Learning Group Activity

Review the learning group activity with your group members:

- 1 Which activity did you choose?
- 2 What problems did you encounter, if any? Can your group members help?
- 3 What did you learn from the activity?

# Why Python?

## Why study Python in Principles of Programming Languages?

- Multi-paradigm
  - Object-oriented
  - Functional
  - Procedural
- Dynamically typed
- Relatively simple with little feature multiplicity
- Readability focused
- No specialized IDE required
- Fast, relative to other dynamically typed languages
  - And when it's not fast enough, you can rewrite that performance-critical section in C. Python is natural to interop with C.
- *Highly General Purpose!*
  - Web programming, machine learning, GUI programming, Email processing, education, simulations, web scraping...

# Installing Python

For this course, we will be using **Python 3.6**.

## **Windows and Mac OS X:**

Install from <https://www.python.org/downloads>

## **Linux:**

Check your distribution's package manager for Python 3. If you are using a distribution that only has Python 3.5 (e.g., Ubuntu 16.04), that should be fine. Just don't go any older than 3.5.

### Note

While you are free to develop on whatever system you choose, your code is expected to work on a Linux machine. Therefore, it is recommended that you setup Linux on your computer.

Python is one of the few languages with an official style guide (PEP 8). Here's a quick summary:

- Use 4-spaces for each level of indentation. **Never use hard tabs!**
- Use snake\_case for function and variable names.
- Use CapWords for class names.
- Never ever use camelCase in Python.

For your LGA, you will get to explore the style guide in further detail.

# Basic Input and Output

- The `print` function takes any amount of arguments, and prints them separated by spaces on the same line.
- The `input` function takes an optional prompt string, prompts the user for input, and returns the string they typed.

```
name = input("What is your name? ")  
print("Nice to meet you", name)
```

# A Simple Example

```
for i in range(1, 101):
    if i % 3 == 0 and i % 5 == 0:
        print("Fizz Buzz")
    elif i % 3 == 0:
        print("Fizz")
    elif i % 5 == 0:
        print("Buzz")
    else:
        print(i)
```

## Indentation Denotes Scope

Any time Python sees a `:`, it expects an indented section to follow. The indented section denotes the scope of the operation.

# Builtin Types

*bool*: True or False

*int*: integers, not size-bound

*float*: double-precision floating point numbers

*complex*: complex numbers

*str*: for Unicode strings, immutable

*bytes*: for a sequence of bytes, immutable

*list*: mutable ordered storage

*tuple*: immutable ordered storage

*set*: mutable unordered storage

*frozenset*: immutable unordered storage

*dict*: mutable key-value relation

*Functions*: yup, they're first class!

*Classes*: they're first class too (of type type)



# Literals

```
# List literals
```

```
[1, 2, 3]
```

```
# Tuple literals
```

```
(1, 2, 3)
```

```
# ... 1 element tuples are special
```

```
(1, )
```

```
# Dictionary literals
```

```
{'Ada': 'Lovelace', 'Alan': 'Turing'}
```

```
# Set literals
```

```
{1, 2, 3}
```

```
# ...empty set is:
```

```
set()
```

# String Formatting

To format elements into a string, you *could* convert each element to a string then add them all together:

```
print("Time " + str(hours) + ":" + str(minutes) + ".")
```

Ow... my fingers hurt, and that was not too easy to read either. As an alternative, try `.format` on a string:

```
print("Time {}:{}".format(hours, minutes))
```

Or, if you have Python 3.6, use an f-string:

```
print(f"Time {hours}:{minutes}.")
```

See the Python documentation for more information. There's plenty to this formatting language.

## Note

Do not use old-style (printf-style) string formatting in this course.

## Selection (if statements)

Python's primary structure for selection is `if`:

```
if i == 0 and j == 1:
    print(i, j)
elif i > 10 or j < 0:
    print("whoa!")
else:
    print("all is fine")
```

Notice you do not need parentheses surrounding the condition like in C or C++.

There's also a ternary operator (good for simple conditionals):

```
def foo(bar, baz):
    return bar if bar else baz
```

# Why no switch or case?

Most switch or case statements over-complicate what could be done in a single line using a dictionary. Where this is not the case, you really shouldn't be using a switch anyway.

## An Example switch in C

```
switch (c) {  
    case 'q':  
        a++;  
        break;  
    case 'x':  
        a--;  
        break;  
    case 'z':  
        a += 4;  
}
```

## Python Equivalent

```
diff = {'q': 1, 'x': -1, 'z': 4}  
a += diff[c]
```

# Iteration

Python provides your traditional while loop, the syntax is similar to if:

```
while n < 100:  
    j /= n  
    n += j
```

But under most cases, the **range-based** for loop is preferred:

```
for x in mylist:  
    print(x)
```

## Note

Python's for loop is a range-based for loop, unlike C's for loop which is really just a fancy while loop.

# Generating Ranges

The generator function `range` creates an iterable for looping over a sequence of numbers. The syntax is `range(start, stop, step)`.

- `start` is the number to start on
- `stop` is the number to stop *before*
- `step` is the amount to increment each time

```
for i in range(0, 5, 1):  
    print(i)
```

```
0  
1  
2  
3  
4
```

## Optional Parameters

Both `start` and `step` are optional, and if omitted, will be assumed to be `0` and `1`

# Pairing Iteration Structures with else

In Python, you can pair an else block with for and while. The block will be executed *only if* the loop finishes without encountering a break statement.

An example of this can be seen below:

```
for i in range(10):
    x = input("Enter your guess: ")
    if i == x:
        print("You win!")
        break
else:
    print("Truly incompetent!")
```

# Slicing

```
mylist = [1, 2, 3, 4]
```

```
# syntax is [start:stop:step], step optional  
mylist[1:3] # => [2, 3]
```

```
# unused parameters can be omitted  
mylist[::-1] # => [4, 3, 2, 1]
```

```
# without the first element  
mylist[1:] # => [2, 3, 4]
```

```
# without the last element  
mylist[:-1] # => [1, 2, 3]
```



# Tuple Expansion & Collection

Multiple assignments work like so:

```
names = ("R. Stallman", "L. Torvalds", "B. Joy")  
a, b, c = names
```

\* can be used to collect a tuple:

```
# drop the lowest and highest grade  
grades = (79, 81, 93, 95, 99)  
lowest, *grades, highest = grades
```

The same can be done to expand a tuple in a function call:

```
# Each grade becomes a separate argument  
print(*grades)
```

# Functions

To define a function in Python, use the def syntax:

```
def myfun(arg1, arg2, arg3):  
    if arg1 == 'hello':  
        return arg2  
    return arg3
```

Even if your function does not take arguments, you still need the parentheses:

```
def noargs():  
    print("I'm all lonely without arguments...")
```

## \*args and \*\*kwargs

Python allows you to define functions that take a variable number of positional (\*args) or keyword (\*\*kwargs) arguments. In principle, this really just works like tuple expansion/collection.

```
def crazyprinter(*args, **kwargs):  
    for arg in args:  
        print(arg)  
    for k, v in kwargs.items():  
        print("{}={}".format(k, v))
```

```
crazyprinter("hello", "cheese", bar="foo")  
# hello  
# cheese  
# bar=foo
```

# Next Time

- Modules
- Generator Functions
- List Comprehensions
- Functional Programming